

Campus and Community Planning 2210 West Mall • Vancouver, B.C. • V6T 1Z4

<sup>™</sup> 604.822.8228 • □ 604.822.6119
 <sup>™</sup>

SLP # \_\_\_\_\_

**Streets and Landscape Permit Application Form** Complete application form and submit with all required materials to Campus and Community Planning.

Location (street address, legal add	ress, cross streets, a	and/or place name	e):	
Scope of Work (A description of the second s	he project, the ration	ale for the projec	t, prop	osed changes and improvements):
Expected Start Date:		Expected Cor	npleti	on Date:
Type of Project: <ul> <li>New SLP Project</li> <li>SLP A</li> </ul>	mendment 🛛	SLP Extension	n	<b>DP #</b> (if applicable):
Applicant (authorized agent):				
Contact name:				
Mailing address:			Email	:
City:	Postal Code:		Phone	9:
Contractor:				
Contact name:				
Mailing address:			Email	:
City:	Postal Code:		Phone:	
Other:				
Contact name:				
Mailing address:			Email	:
City:	Postal Code:		Phone:	
WHICH THIS APPLICATION IS MADE AND TS OFFICIALS, EMPLOYEES AND AGENT NCLUDING NEGLIGENCE, IN RESPECT ( LICENSE ISSUED AS A RESULT OF THE A	ATUTES, RULES, BYL COLUMBIA RELATIN THAT I WILL INDEMN TS FROM ALL CLAIMS OF ANYTHING DONE ( APPLICATION OR THE RELATING TO ANY W	AWS, POLICIES AI G TO THE WORK, NIFY AND SAVE HA S, LIABILITIES, JUE OR NOT DONE IN E FAILURE TO OBS ORK OR UNDERT.	ND REC UNDEF ARMLES DGEME CONSE SERVE AKING	GULATIONS OF OTHER AUTHORITIES IN RTAKING OR PERMISSION IN RESPECT OF SS THE UNIVERSITY OF BRITISH COLUMBIA NTS, COSTS OR EXPENSES OF EVERY KINE QUENCE OF ANY PERMISSION, PERMIT OR
SIGNATURE OF AUTHORIZED AGENT:				
Revised September 2020				



**Campus and Community Planning** 

# **SLP Fees and Deposits**

### Total Construction Value: \$

(including all soft costs such as consultancy, project management etc.)

### SLP Fee

Construction Value	%	Calculation
For the first portion up to \$250,000 (minimum \$250)	1.5%	
For the next portion from \$250,000 to \$500,000	1.00%	
For the next portion from \$500,001 to \$1,000,000	0.5%	
For the next portion from \$1,000,001 to \$2,000,000	0.25%	
For the next portion from \$2,000,001 to \$3,000,000	0.125%	
For the next portion over \$3,000,000	0.05%	
	Total Fee:	\$

SLP Amendment Fee		Calculation
10% of additional construction value (if applicable) or \$160		
	Total Fee:	\$

#### Non-refundable Damage Deposit Fee (\$200.00)\*:

\$\_\_\_\_\_

\* For all UBC managed projects with a construction value under \$250,000 only. Letter of Undertaking is required.

### **Refundable Damage Deposit**

Construction Value	%	Calculation
For the first portion up to \$250,000	8%	
For the next portion from \$250,000 to \$500,000	4%	
For the next portion from \$500,001 to \$1,000,000	2%	
For the next portion over \$1,000,000	1%	
Total D	Damage Deposit:	\$

### **Refundable Record Drawings Deposit**

Record Drawings				
\$1,000 for each record drawing to be submitted upon project completion up to a maximum of \$20,000	# of drawings			
Total Record Drawings Deposit:	\$			
Total Fees and Deposits: \$				
Payment by: □ Cheque □ Cash □ PS Project # □ BOW #	□ Other			
Revised September 2020				



**Campus and Community Planning** 

### **Streets and Landscape Permit Application Checklist**

Submission R	equirements			Comments
Application Form	• Streets and Landscape Permit Application Form (con	npleted and signed)		
DP Issued	Development Permit issued (if applicable) DP #	[		
Application Fee	• Due at time of submission (see SLP Fees and Depos	sits)		
Deposits	• Due at time of submission (see SLP Fees and Depos	sits)		
Drawings Req	<ul> <li>Ired - One hardcopy set (11" x 17") and one digital set</li> <li>SLP Application submission documents must be</li> <li>Issued for Construction (IFC) drawings are required</li> </ul>	e at 95% completion.	e Stre	eets and Landscape Permit.
Photos	<ul> <li>Pre-construction digital photos of whole site and clos such as existing damaged infrastructure</li> </ul>	e-up photos of key features		
Survey Plan	<ul> <li>Dimensions of site and site area, including north arrow</li> <li>Location and building footprint dimensions of all existing buildings on the site.</li> <li>Property line (if applicable)</li> <li>Lane dedications, registered easements, encroachments and risk of wase</li> </ul>	des at each corner of existing osed building envelope		
Context Plan	<ul> <li>Plan showing the relationship of the project area to s buildings in all directions</li> </ul>	urrounding streets and		
Site Plan	<ul> <li>Street name(s)</li> <li>Dimensions of site</li> <li>Location of gate</li> </ul>	destrian areas, etc. rbage facilities e hydrants closest to the		
<ul> <li>Landscape Plan Drawings</li> <li>Identify and label common and botanical names, sizes and quantity of all proposed plant material/trees</li> <li>Identify all landscape elements, plants and trees to be removed/relocated</li> <li>All landscape elements, dimensions, and details, including new and existing surface materials, site furniture and structures</li> <li>Identify and/or locate irrigation including new components and proposed tie-ins (as per Technical Guidelines)</li> </ul>				
Material Samples	<ul> <li>Provide a sample of new surface material in propose the UBC Technical Guidelines.</li> </ul>	d colour, unless specified in		
Furniture Specifications	<ul> <li>Provide full specification for proposed street furniture Technical Guidelines.</li> </ul>	e, unless specified in the UBC		
Proposed Site Grades and Drainage	Provide all grading and drainage details on plan			
Civil Drawings	<ul> <li>Key Plan including Drawing Index and Legend</li> <li>Road works including UBC typical cross sections</li> <li>Geodetic datum, monument number, location, and el</li> <li>Underground utilities (i.e. watermain, sanitary sewer, o 1 drawing per utility</li> </ul>	evation		



	<ul> <li>Irrigation in soft landscape to be identified where existing (consultation with UBC Municipal Services may be required)</li> <li>Staging/phases of work</li> </ul>	
Submission R	Comments	
Geotechnical Report	<ul> <li>Prepared and signed by a Geotechnical Engineer identifying potentially hazardous or unstable areas</li> </ul>	
Stormwater Management and Erosion & Sediment Control Plans	<ul> <li>Sediment and Erosion Control Methodology</li> <li>Truck access and egress routes</li> <li>Identify all measures taken to protect the environment – gravel access pad, cover existing catch basins, sediment check dam, wheel wash facility, etc.</li> <li>Weekly inspection of the system by record engineer and take samples during or after storm events with rainfall 10mm or greater</li> <li>Refer to <u>UBC Technical Guidelines</u></li> </ul>	
Hoarding Plan	Location of hoarding fences. (Note construction zone is to be minimized)	
Construction Site Plan	• Location of site office, first aid station, site entrances, storage and lay down locations, and tree protection fencing. The Hoarding Plan and Construction Plan may be combined	
Traffic Management Plan	<ul> <li>Truck routes to/from campus, street closures, traffic diversions, traffic control measures</li> <li>Emergency vehicle access route(s)</li> <li>Loading/Servicing locations</li> <li>Location of all excavations on streets or fire access routes. <u>https://planning.ubc.ca/sites/default/files/2020-01/GUIDELINE_UBC_TrafficManagementPlanGuide2013.pdf</u></li> </ul>	
Parking	• List all construction vehicles including make, model, license plate number on site. Personal vehicles not permitted.	
Site Profile	<ul> <li>See <u>UBC Procedures Related to Contaminated Sites Regulation</u>. A Stage 1 Preliminary Site Investigation and Site Profile may be required.</li> <li><u>Environmental Compliance Check List</u> may be required</li> </ul>	
Tree Survey and/or Biophysical Assessment	<ul> <li>Show location, size and identification of all existing trees and other significant plant material on-site.</li> </ul>	
Tree Protection Plan	<ul> <li>A Tree Protection Plan shall be prepared and provided by the Landscape Architect and the Project Manager in accordance with the <u>Vancouver Campus</u> <u>Plan Part 3 Section 2.4.6</u> and <u>UBC Technical Guidelines</u>, <u>Section 32 01 93.1 Tree</u> <u>and Shrub Preservation</u>.</li> <li>Locate all existing trees on plan as per site survey. Show significant tree canopies to scale based on estimated diameters.</li> <li>Indicate trees to be removed or retained. Provide a Tree Removal Schedule as required. Indicate UBC tag Number, size at DBH and Latin names.</li> <li>Show extent of any excavations through critical roots zones.</li> <li>Show tree protection fencing layout to scale.</li> <li>Provide Tree Protection Notes and Legend on plan with site-specific instructions based on Arborist's Report and recommendations, and UBC Technical Guidelines as required.</li> <li>Further requirements may be determined following arboricultural assessment and/or upon advice of the Director of Infrastructure Services, C&amp;CP.</li> <li>Refer to attached sample tree protection notes.</li> </ul>	
Above and Below Ground Storage Tanks	• Provide a plan identifying the type, size and location of all new or existing above or below ground storage tanks (including fuel tanks, acid neutralization tanks, oil water separators, grease traps, septic tanks, liquefied gas tanks, waste water collection and containment tanks), chillers and generators for acceptance by the Chief Risk Officer.	



**Campus and Community Planning** 

### **SLP Terms and Conditions**

#### 1. Streets and Landscape Permit (SLP) Valid Duration

The Streets and Landscape Permit (SLP) will expire after six (6) months from date of issue if project work has not commenced. It is the applicant's responsibility to re-apply to extend the expiry date of the SLP, at no additional charge, ten (10) working days prior to the expiration of the current permit.

#### 2. Construction Fence

The construction site plan must clearly identify the location of the construction fence line.

#### 3. Letter of Undertaking

For UBC managed projects with a construction value of up to \$250,000, a non-refundable fee of \$200 and a Letter of Undertaking are required in lieu of a refundable damage deposit. The Project Manager (UBC Project Services or other UBC entity) is required to submit a signed "LETTER OF UNDERTAKING" along with the full SLP application package. The Project Manager will be held responsible for deficiencies and damage in the landscape (hard and soft).

#### 4. Refundable Damage Deposit

The applicant is to provide a Damage Deposit to be used to pay for any permanent or temporary repair and/or cleanup costs caused by construction activity. The Damage Deposit is to be submitted and payable to Campus and Community Planning(C&CP) in the form of a certified cheque or other acceptable form of credit. The applicant may apply for a refund of the Damage Deposit, with a formal written request (i.e. memo/letter), upon completion of all construction work and associated repair work. The refund request, to include a signed certification, must be received by C&CP from the coordinating Professional Engineer or Landscape Architect confirming that all capital improvement and restoration work has been completed in accordance with the SLP, that all required standards and codes have been adhered to, and that all damage to the surrounding areas has been restored. If the Damage Deposit is insufficient to cover all repair costs, the applicant will be billed for the balance. Repair work undertaken by the applicant must be approved by the University prior to commencement.

#### 5. Street and Landscape Restoration

The applicant is responsible for restoring streets and landscape areas to the satisfaction of C&CP. Street restorations are to conform to the standards set in the City of Vancouver's construction standards (<u>https://vancouver.ca/streets-transportation/street-design-construction-resources.aspx</u>). The University, prior to commencement, must approve any restoration work. If the digital photographs submitted as part of the application submission do not clearly illustrate the pre-construction condition of existing elements, C&CP will determine the level of restoration required.

#### 6. Refundable Record Drawing Deposit

The applicant is to provide a Record Deposit based on the numbers of drawings submitted. The consultant and/or contractor shall provide drawings in accordance with the Technical Guidelines Section 07 78 39 Project Record Documents. For all underground utility services, the consultant and/or contractor shall provide a set of Red Line drawings to UBC Energy & Water Services, within 60 days from substantial performance of the civil contract. See also: Section 33 00 10 Underground Utility Services. The record drawings (signed and sealed by the Engineer of Record) must be submitted upon completion of the project to Infrastructure Development - Records department. Similar to the Damage Deposit, the applicant may apply for a refund of the Record Deposit, with a formal written request, upon completion of all construction work and associated repair work. The record drawings are to be in the format approved in the Technical Guidelines.

#### 7. Dissemination of Information and Adherence to the Building Permit Terms & Conditions

The applicant is responsible for ensuring all trades, contractors and subcontractors that work on the job site are aware of and comply with these Terms and Conditions as well as the standard Terms & Conditions for Building Permits - <u>https://planning.ubc.ca/sites/default/files/2019-</u>11/REGULATORY\_UBC\_PermitConditions.pdf



Campus and Community Planning

